


J01a




) 26

>) 186












FIG. 2




	405
Člass 410	
Specificity 412	
Category 414	
ID 416	
Value 418	
Value Code 420	
Modifier 422	




	409
Essential Element ID 430	
Act Weight 432	
Scene Weight 434	


	411
Essential Element ID 436	
Conclusion 438	
Conclusion ID 440	
u Value 442	
i Value 444	
Value Code 446	
Modifier 448	




Patient ID 521 Last Name 523 First Name 529 Middle Name 527 Date Of Birth 529 Street Address 531 City 533 State 535 Telephone 537		505
Last Name 523 First Name 529 Middle Name 527 Date Of Birth 529 Street Address 531 City 533 State 535		
First Name 529 Middle Name 527 Date Of Birth 529 Street Address 531 City 533 State 535		
Middle Name 527 Date Of Birth 529 Street Address 531 City 533 State 535	Last Name 523	
Middle Name 527 Date Of Birth 529 Street Address 531 City 533 State 535		
Street Address 531 City 533 State 535		
Street Address 531 City 533 State 535		
State 535		
State 535		
	State 535	

	50
Claim ID 539	
Patient ID 540	
Claim Number 541	
Payor ID 543	
Adjustor ID 545	







	513 رـــر
Element ID 563	/
Event ID 565	:
Essential Element ID 567	
Claim ID 569	
Act ID 571	
Date 573	
Event Source ID 575	



and the second section of the second second

FIG. 6a









FIG. 7

Onfidence M 810

CALCULATION OF CLINICAL CONCLUSIONS



 Λ Ratio Values

"Best Case" Scenario = 1.00 Sample 1 = 0.56 Sample 2 = 0.23

